

# UNSW Australia RoboCup Team University of New South Wales, Australia

## RoboCup 2016 Standard Platform League

David McKinnon, Peter Schmidt, Hayden Smith, Kenneth Ng, Jeremy Collette, Gary Katz, Sean Harris, Brad Hall, Bernhard Hengst, Maurice Pagnucco, and Claude Sammut

School of Computer Science and Engineering  
University of New South Wales  
Sydney 2052 Australia  
<http://www.cse.unsw.edu.au>

**Abstract.** RoboCup inspires and motivates our research interests in cognitive robotics and machine learning, especially vision, state-estimation, locomotion, layered hybrid architectures, and high-level programming languages. The 2016 rUNSWift team comprises final year undergraduate honours students, Master and PhD students, past RoboCup students and supervisors who have been involved in RoboCup for over a decade. New developments in 2016 include improved goal detection for white goal posts, building a shared world model for the robots, new ball detection algorithms for the new black and white ball, and updated behaviours to more efficiently move the ball around with the field with the new ball.

### 1 The Team

The RoboCup Standard Platform League (SPL) is an excellent training ground. Participant team members need to collaborate on the development of a highly complex software system, deliver it on time, and within budget. This year the UNSW Australia RoboCup Team (rUNSWift) comprises a mix of undergraduate, masters and PhD students, both past and present. Several of our team members have full-time jobs in industry and have come back to participate in the 2016 competition by devoting their own time and assisting a new crop of students. By participating in RoboCup the team is engaged in a unique educational experience and makes a significant contribution towards research, as is evident from the list of references at the end of this article.

The 2016 rUNSWift team members are David McKinnon, Peter Schmidt, Hayden Smith, Kenneth Ng, Jeremy Collette, Gary Katz, Sean Harris, and faculty members Brad Hall, Bernhard Hengst, Maurice Pagnucco, and Claude Sammut.



**Fig. 1.** A subset of the 2016 rUNSWift Team. From left to right: Bernhard Hengst, Sean Harris, Peter Schmidt, Brad Hall, Claude Sammut, David McKinnon, Kenneth Ng, Hayden Smith

The team has the financial support of the School of Computer Science and Engineering at the University of New South Wales. The School provides considerable organisational support for travel. The team benefits from a wealth of experience and the legacy code from past past rUNSWift teams in the standard platform league (including the previous Sony four-legged league), simulation, and rescue competitions.

A UNSW team has taken part in every RoboCup competition since 1999. In the following sections we describe our broader research interests and list our contributions over the years. Team reports, code and videos are available at internet address: <http://www.cse.unsw.edu.au/about-us/help-resources/for-students/student-projects/robocup/>.

## 2 Research Interests

The vision of many robotics researchers is to have machines operate in unstructured, real-world domains. Our long-term aim is to develop general-purpose intelligent systems that can learn and be taught to perform many different tasks autonomously by interacting with their environment. As an approach to this problem, we are interested in how machines can compute abstracted representations of their environment through direct interaction, with and without human assistance, in order to achieve some objective. These future intelligent systems will be goal directed and adaptive, able to program themselves automatically by sensing and acting, and accumulating knowledge over their lifetime.

The School of Computer Science and Engineering at the University of New South Wales is arguably the premiere Australian computing school. Autonomous Systems is a priority research area for UNSW. Our general research focus, of which the RoboCup SPL is a part, is to:


- further develop reasoning methods that incorporate uncertainty and real-time constraints and that integrate with the statistical methods used in SLAM and perception
- develop methods for using estimates of uncertainty to guide future decision making so as to reduce the uncertainty
- extend these methods for multi-robot cooperation
- use symbolic representations as the basis for human-robot interaction
- develop learning algorithms for hybrid systems, such as using knowledge of logical constraints to restrict the search of a trial-and-error learner and learning the constraints
- develop high level symbolic robotic languages that provide abstractions for a large range of deliberation, planning and learning techniques so as to simplify robot programming

## 3 rUNSWift 2016 Robotic Architecture

The rUNSWift robotic architecture shown in Figure 2 is a task-hierarchy for a multi-agent team of five Naos. We use a fault-tolerant network-centric architecture. This means that each robot may have a slightly different view of the

world and therefore of its role on the team. The approach has the advantage of providing some redundancy in case individual robots are disqualified or stop working.

Starting at the root-level the game-controller invokes the high-level states for playing soccer. At lower levels, the vision system makes sense of the kaleidoscope of pixel values at 30 frames per second, and the walk generators execute temporally extended walk actions that invoke primitive state transitions as the robot transitions between poses 100 times each second.



**Fig. 2.** The 2013 UNSW SPL robotic architecture.

### 3.1 Vision

Our vision system evolved significantly over the last sixteen years. From the beginning, in 1999, we used a simple learning system to train the colour recognition system. In 2001, we used a standard machine learning program, C4.5, to build a decision tree recogniser. Also in 2000, our vision system became good enough to use robot recognition to avoid team mates (Sammut & Hengst, 2003).

In recent years, we have updated the vision system to recognise the field-boundary, field-markings and to rely less on colour by using edge-features. We have introduced a foveated vision system and virtual saccades to maximise scarce computational resources. To disambiguate the symmetric field we introduced a natural landmark recognition algorithm that is able to localise the robot in real-time. This tailored SLAM approach, based on one-dimensional local image features was presented at a previous RoboCup Symposium (Anderson, et al, 2012).

A spin-off development – a visual compass to help odometric corrections for adjusting for slippage and collisions, was presented at the RoboCup Symposium several years ago (Anderson and Hengst 2013).

This year the rules have changed, using a black and white soccer ball with the standard pattern of white hexagons and black pentagons, instead of a smaller orange ball. In response to this we developed a new method of detecting and tracking the ball without use of the colour-segmented image from the foveated vision system. This should reduce reliance on our rigid colour classification and we aim to have robust ball detection and tracking in a variety of lighting conditions with the occlusion of other robots and obstacles.

**Localisation** The 2000 competition saw the initial use of a Kalman filter-based localisation method that continued to evolve in subsequent years (Pham et al, 2002). The localisation system evolved to include a multi-modal filter and distributed data fusion across the networked robots. In 2006, we went from treating the robots as individuals sharing information, to treating them as one team with a single calculation spread over multiple robots. This allowed us to handle multiple hypotheses. It also allowed us to use the ball for localisation information.

A significant innovation in 2012 was the use of a variation of the Iterative Closest Point (ICP) algorithm extending previous work on field-line matching (Sheh & Hengst, 2004; Ratter, 2011) to other visual features and objects. This novel algorithm was presented at ICRA (Peter Anderson, Youssef Hunter, Bernhard Hengst, 2013). A summary of innovations for 2012 was presented at ACRA in 2012 (Harris, et al).

We track multiple hypothesis modes for the pose of the robots and ball on the field. Each hypothesis mode consists of the robot pose, ball position and velocity, and the poses of the teammate robots. The robots exchange observations of field lines, goal posts, and the ball with each other over wireless. In this way a robot can incorporate teammate observations into its own filter and improve its localisation accuracy and consistency. This also helps to disambiguate the two symmetric sides of the field.

**Locomotion** In 2000, we introduced the UNSW walk, which became the standard across the four-legged league (Hengst et al, 2002). Almost all the other teams in the 4-legged league at the time adopted a similar style of locomotion, some starting from our code. The flexibility of this representation led to another major innovation in 2003. We were the first team to use Machine Learning to tune the robot’s gait, resulting in a much faster walk (Kim & Uther, 2003). In succeeding years, several teams developed their own ML approaches to tuning the walk.

Bipedal locomotion research in our group includes the application of Machine Learning to gaits. PhD student Tak Fai Yik (a member of the champion 2001 four-legged team) collaborated with Gordon Wyeth at the University of Queensland to evolve a walk for the GuRoo robot (Wyeth, et al, 2003), which was

entered in the humanoid robot league. We have continued to research bipedal locomotion methodologies and learning strategies (Hengst, et al, Humanoids 2011; Hengst, CLAWAR 2013).

In 2014, machine learning using a Nao physics simulation inspired the development of a new walk and balancing mechanism for use in competition. This walk quickly became noted as one of the big strengths of the team and contributed heavily to our success in 2014.

**Software Engineering and Architecture** Throughout the software development of the AIBO and then Nao code, we have adopted a modular, layered architecture. The lowest layers consist of the basic operations of vision, localisation and locomotion. The behaviours of the robots are also layered, with skills such as ball tracking, go to a location, get behind ball, etc, being at the lowest level of the behaviour hierarchy, with increasingly complex behaviours composed of lower-level skills. Originally, all the behaviours were coded in C/C++ but in 2005 and 2006, as from 2010 onwards the upper layers were replaced by Python code.

One of the key reasons behind the UNSW team's success has been its approach to software engineering. It has always been: keep it simple, make the system work as a whole and refine only what evidence from game play tells us needs work. This practical approach has had a strong effect on our research because it has informed us about which problems are really worth pursuing and which ones are only imagined as being important.

## 4 Participation and Performance

A UNSW team has taken part in every RoboCup competition since 1999. Details of awards are as follows:

### **Standard Platform League/Four-legged league: 1999-2006, 2008-2013**

- 1st place: 2000, 2001, 2003, 2014, 2015
- 2nd place: 1999, 2002, 2006, 2010
- 3rd place: 2005, 2012
- 4th place: 2013
- Quarter-finalists: 2004, 2008, 2011
- Challenges: 1st in 1999, 2000, 2001, 2002, 2010
- Challenges: 2nd in 2003, 2012
- Challenges: 3rd in 2011

### **Simulation soccer: 2001 - 2003**

- 7th place: 2002

### **Rescue: 2005 - 2007, 2009-2013**

- 3rd overall: 2005
- Semi-finalists and 2nd in autonomous robot challenge: 2006
- Finalists: 2007, 2009.
- Best in class Autonomy: 2009, 2010, 2011
- 2nd in Mobility: 2009
- Award for innovative user interfaces: 2009

## 5 Acknowledgements

The 2016 rUNSWift team wishes to acknowledge the financial and organisational support from the School of Computer Science and Engineering, University of New South Wales, and the contribution to the code base from past rUNSWift teams that has been integrated into the latest source code.

## References

RoboCup SPL related publications:

1. Reinforcement Learning of Bipedal Lateral Behaviour and Stability Control with Ankle-Roll Activation, Hengst, CLAWAR, 2013.
2. Fast Monocular Visual Compass for a Computationally Limited Robot, Peter Anderson and Bernhard Hengst, RoboCup Symposium, 2013.
3. An ICP Inspired Unified Sensor Model with Unknown Data Association, Peter Anderson, Youssef Hunter and Bernhard Hengst, ICRA, 2013.
4. 2013 rUNSWift Team Reports and Videos URL:  
<http://www.cse.unsw.edu.au/about-us/help-resources/for-students/student-projects/robocup/>
5. Robocup Standard Platform League - rUNSWift 2012 Innovations, Sean Harris, Peter Anderson, Belinda Teh, Youssef Hunter, Roger Liu, Bernhard Hengst, Ritwik Roy, Sam Li, Carl Chatfield, Australasian Conference on Robotics and Automation, Dec 2012, New Zealand.
6. 2012 rUNSWift Team Reports and Videos URL:  
<http://www.cse.unsw.edu.au/about-us/help-resources/for-students/student-projects/robocup/>
7. Robot Localisation Using Natural Landmarks, Peter Anderson, Yongki Yushmanthia, Bernhard Hengst, Arcot Sowmya, RoboCup Symposium, 2012
8. Fast Object Detection with Foveated Imaging and Virtual Saccades on Resource Limited Robots, Adrian Ratter, David Claridge, Jayen Ashar and Bernhard Hengst, The 24th Australasian Joint Conference on Artificial Intelligence (AI2011), 2011
9. Learning Ankle-Tilt and Foot-Placement Control for Flat-footed Bipedal Balancing and Walking, Bernhard Hengst, Manuel Lange, Brock White, Humanoids, Bled, Solovinia, 2011
10. RoboCup Standard Platform League - rUNSWift 2010, Jayen Ashar, David Claridge, Brad Hall, Bernhard Hengst, Hung Nguyen, Maurice Pagnucco, Adrian Ratter, Stuart Robinson, Claude Sammut, Benjamin Vance, Brock White, Yanjin Zhu, Australasian Conference on Robotics and Automation, Dec 1st-3rd Brisbane Australia, 2010
11. 2010 rUNSWift Team Report, Code and Videos following a total rewrite URL:  
<http://www.cse.unsw.edu.au/about-us/help-resources/for-students/student-projects/robocup/>



12. 1999–2009 team reports as well as selected code are available at URL:  
<http://www.cse.unsw.edu.au/about-us/help-resources/for-students/student-projects/robocup/>
13. Aaron James Soon Beng Tay (2009) Walking Nao Omnidirectional Bipedal Locomotion. UNSW SPL team report.
14. David G. Claridge, Carl Chatfield, Gary Huynh (2009). Software Systems for the Nao Humanoid Robot. UNSW SPL team report.
15. Mitchell Currie (2009) Robocup 2009: Localisation. UNSW SPL team report.
16. Brimo, A. (2008) RoboCup 2008. UNSW RoboCup 2008 Report.
17. Chen, S., Siu, L., Vogelgesang, T., Yik, T. F., Hengst, B., Pham, S. B. and Sammut, C. (2002). The UNSW RoboCup 2001 Sony Legged Robot League Team. In A. Birk, S. Coradeschi and S. Tadokoro (Eds.), *RoboCup 2001: Robot Soccer World Cup V* (pp. 39-48): Springer.
18. Chen, J., Chung, E., Edwards, R. & Wong, N. (2003). Rise of the Aibos III - Aibo Revolutions I. RoboCup Team Report. <http://www.cse.unsw.edu.au/robocup/2003site/report2003.pdf>
19. Collien, D. and Huynh, G. (2008). From AIBO to NAO: The Transition from 4-Legged to 2-Legged Robot Soccer, UNSW RoboCup 2008 Report.
20. Hengst, B., Ibbotson, D., Pham, S. B. and Sammut, C. (2000). UNSW RoboCup 2000 Team Report. <http://www.cse.unsw.edu.au/robocup>
21. Hengst, B., Ibbotson, D., Pham, S. B., Dalglish, J., Lawther, M., Preston, P. and Sammut, C. (2001). The UNSW Robocup 2000 Sony Legged League Team. In P. Stone, T. Balch and G. Kraetzschmar (Eds.), *Robocup 2000: Robot Soccer World Cup IV* (Vol. 2019, pp. 64-75), Springer.
22. Dalglish, J. and Lawther, M. (1999). Playing soccer with quadruped robots. Computer Engineering Thesis, School of Computer Science and Engineering, University of New South Wales.
23. Hengst, B., Pham, S. B., Ibbotson, D. and Sammut, C. (2002). Omnidirectional Locomotion for Quadruped Robots. In *RoboCup 2001: Robot Soccer World Cup V* (pp. 368-373). Berlin: Springer.
24. Kadous, M. W., Sheh, R. and Sammut, C. (2006). Controlling Heterogeneous Semi-autonomous Rescue Robot Teams. In 2006 IEEE International Conference on Systems, Man, and Cybernetic.
25. Kadous, W., Sammut, C. and Sheh, R. (2006). Autonomous Traversal of Rough Terrain Using Behavioural Cloning. In *The 3rd International Conference on Autonomous Robots and Agents*.
26. Kim, M. S. And Uther, W. (2003). Automatic gait optimisation for quadruped robots. In *Australasian Conference on Robotics and Automation*. Brisbane.
27. Levesque, H. J., and Pagnucco, M., (2000) Legolog: Inexpensive Experiments in Cognitive Robotics, In *Proceedings of the Second International Cognitive Robotics Workshop*, Berlin, Germany.
28. Pagnucco, M. and Rajaratnam, D. (2005): Inverse Resolution as Belief Change. *IJCAI 2005*.545.
29. Pham, K. C. and Sammut, C. (2005). RDRVision - Learning vision recognition with Ripple Down Rules. *Proc. Australasian Conference on Robotics and Automation* (pp. 7 pages).

30. Pham, S. B., Hengst, B., Sammut, C. and Ibbotson, D. (2002). Stochastic Gradient Descent Localisation in Quadruped Robots. In RoboCup 2001: Robot Soccer World Cup V (pp. 447-452).
31. Nardi, D., Riedmuller, M. and Sammut, C. (Eds.). (2005). Proc of the RoboCup 2004 Symposium.
32. Sammut, C. and Hengst, B. (2003). The Evolution of a Robot Soccer Team. Robotics Research: The Tenth International Conference (pp. 517-529): Springer.
33. Sammut, C. (2003). Robot Soccer: Science or just fun and games? Proceedings of the Australian Joint Conference on Artificial Intelligence (pp. 12-23). Perth: Springer.
34. Sammut, C., Kadous, W., & Sheh, R. (2007). In K. Furukawa (Ed.), Learning to Drive Over Rough Terrain International Symposium on Skill Science, Tokyo.
35. Sheh, R., Kadous, M.W., Sammut, C., & Hengst, B. (2007). In D. Nardi (Ed.), Extracting Terrain Features from Range Images for Autonomous Random Stepfield Traversal. IEEE International Conference on Safety, Security and Rescue Robotics, Rome.
36. Raymond Sheh, Bernhard Hengst (2004). A Fast Vision Sensor Model: Matching Edges with NightOwl Proceedings of the Australasian Conference on Robotics and Automation (ACRA)
37. Tay, A. (2008). Exploration of Nao and its Locomotive Abilities. UNSW RoboCup 2008 Report.
38. Thomas J., Blair, A. & Barnes, A., (2003). Towards an efficient optimal trajectory planner for multiple mobile robots, Proc. 2003 International Conference on Intelligent Robots and Systems.
39. Wyeth, G., Kee, D. and Yik, T. F. (2003). Evolving a Locus Based Gait for a Humanoid Robot. In International Conference on Robotics and Intelligent Systems. Las Vegas.
40. Yik, T. F. (2007). Locomotion of Bipedal Robots: Planning and Learning to Walk. PhD Thesis. School of Computer Science and Engineering, University of New South Wales.
41. Yik, T.F., & Sammut, C. (submitted). In M. Srinivasan & M. Dunbabin (Eds.), Trial-and-Error Learning of a Biped Gait Constrained by Qualitative Reasoning. Australasian Conference on Robotics and Automation, Brisbane.
42. Zheng Wang, Bernhard Hengst, Claude Sammut (2002). Localisation in an Uncertain World with Multiple Agents, MI19.